



SPEED GLOSS

500 ML (READY TO USE)

PN: R2204

1. PRODUCT IDENTIFIER

SPEED GLOSS 500 ML (READY TO USE)

1.1 Relevant uses: For car detailing professionals, easily removes contaminants and adding protection and gloss level

1.2 Details of the supplier of the safety data sheet

Company: RHINOMOTIVE LTD - UK 71-75 SHELTON STREET, LONDON, UNITED KINGDOM

Emergency contact number +971 4 329 7775

Email: info@rhinomotive.com

1.3 Available sizes

R1839 - 19L (Ready to Use)

R2204 - 500ml (Ready to Use)

2. HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture:

- 1) ACUTE TOXICITY: ORAL Category 4,
- 2) EYE DAMAGE/IRRITATION Category 2B

2.2. Label elements: No Symbol

Signal Word:	Warning	Warning
Hazard Statement:	1) H303 May be harmful if swallowed.	2) H320 Causes eye irritation

2.3. Precautionary Statements:

Prevention: Wash hands thoroughly after handling.

Response: IF SWALLOWED: Call a POISON CENTER or a doctor/physician if you feel unwell. Rinse mouth.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Storage: Keep closed and away from children.



SPEED GLOSS 500 ML (READY TO USE)

PN: R2204

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture:	Mixture	
Product Description:	Cleaner	
Chemical Name:	CAS NUMBER	% IN PRODUCT
Isopropyl Alcohol-Biodegradable	67-63-0	2 to 3
Polydimethylsiloxane- Biodegradable	63148-62-9	< 1
Deionized Water	7732-18-5	93 to 95
Strawberry	Scent st	<0.3
Dihydroxymethyl	6440-58-0	<1

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8

4. FIRST AID MEASURES

4.1. Description of necessary first aid measures

Eye contact: Wash eyes immediately with large amounts of water.

Inhalation: Move person to fresh air at once. If breathing has stopped, get medical attention immediately.

Skin contact: No first aid should be needed, however if irritation occurs wash contacted areas with mild soap and water.

Ingestion: Do not induce vomiting. If person is conscious, give water. Get medical attention.

4.2. Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact: Prolonged exposure can cause irritation.

Inhalation: Fine mist may cause irritation of the nose and throat.

Skin contact: Prolonged exposure can cause irritation.

Ingestion: Gastrointestinal irritation.

4.3. Over-exposure signs/Symptoms

Eye contact:	Adverse symptoms may include the following:	Irritation
Inhalation:	Adverse symptoms may include the following:	No significant effect
Skin contact:	Adverse symptoms may include the following:	No significant effect
Ingestion:	Adverse symptoms may include the following:	Gastrointestinal irritation

4.4. Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled Special Hazard

Specific treatments: No specific treatment

Protection of first aiders: No action should be taken involving any personal risk or without suitable training. Wash contaminated clothing thoroughly with water before removing it.

5. FIRE FIGHTING MEASURES

5.1. Extinguishing Media

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical occur

Not a fire hazard.

None known

In a fire or if heated, a pressure increase will

and the container may burst.

5.2. Hazardous thermal decomposition products:



SPEED GLOSS 500 ML (READY TO USE)

PN: R2204

Special protective actions for fire-fighters	If there is a fire, promptly isolate the scene by removing all persons from the vicinity of the incident.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Hazardous Decomposition:	None
Special Fire Fighting Procedures:	None
Unusual Fire / Explosion Hazards:	None

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment, and emergency procedures

For non-emergency personnel: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk-through spilled material. Shut off all ignition sources. No flares, smoking or flares in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation.

Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in for "For non-emergency personnel".

Environmental precautions: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air)

6.2. Methods and materials for containment and cleaning up

Small Spill: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Use spark-proof tools and explosion-proof equipment. Dispose via a licensed waste disposal contractor.

Large spill: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g., sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Use spark-proof tools and explosion-proof equipment. Dispose via a licensed waste contractor. Contaminated absorbent material may pose the same hazard as

Use Gloves, Goggles, Boots and Breathing Mask. Small amounts do not need special measures. Clean up with water. For large spills remove all sources of ignition. Ventilate area. Absorb with an inert absorbent material. Avoid runoff into drains and sewers. All used and unused product should be disposed of in conformance with local, state, and federal regulations

7. HANDLING AND STORAGE

Precautions for safe Put on appropriate protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do handling not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternate made from a compatible material, keep tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Do not reuse container. Wash thoroughly after use.

Conditions for safe

Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away storage: from incompatible materials (see Section 10) and food and drink. Do not store in unlabelled Store materials tightly closed and away from sunlight, warm confined spaces, heat and open flame. Never weld on or near containers either empty or full. Secure all chemicals out of the reach of children.



SPEED GLOSS 500 ML (READY TO USE)

PN: R2204

MATERIAL SAFETY DATA SHEET

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters Occupational exposure limits

Ingredient name	CAS #	PEL/OSHA	TLV-ACGIH
Isopropyl Alcohol-Biodegradable	67-63-0	400 ppm	500 ppm
Polydimethylsiloxane-Biodegradable	63148-62-9	Not Established	Not Established
Deionized Water	7732-18-5	Not Applicable	Not Applicable
Strawberry	Scent st	Not Established	Not Established
Dihydroxymethyl	6440-58-0	Not Established	Not Established

Appropriate engineering controls
No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

8.2. Individual protection measures

Hygiene Measures:	None
Eye/face protection:	None
Skin protection:	None
Respiratory protection:	None

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid	Specific Gravity:	1.02
Color:	Pink	Vapor Pressure:	>1 (volatile)
Odor:	Strawberry	Volatiles:	100 %
pH:	7	Vapor Density:	>1 Fall in air
Boiling Point:	>212 'F	Solubility:	100%
Flash point:	None	Evaporation Rate:	>Water

10. TOXICOLOGICAL INFORMATION

10.1. Information on toxicological effects Acute toxicity Not classified Irritation/corrosion

Eyes	Skin	Inhalation	Ingestion
Irritation	No significant effect	No significant effect	Gastrointestinal irritation

Sensitization	There is no data available
Mutagenicity	There is no data available
Carcinogenicity	There is no data available
Reproductive toxicity	There is no data available
Teratogenicity	There is no data available
Specific target organ toxicity (single exposure)	There is no data available
Specific target organ toxicity (repeated exposure)	There is no data available
Aspiration hazard	There is no data available



SPEED GLOSS 500 ML (READY TO USE)

PN: R2204

10.2. Delayed and immediate effects and also chronic effects from short- and long-term exposure

Short term exposure	
Potential immediate effects	Not available
Potential delayed effects	Not available
Long term exposure	
Potential immediate effects	Not available
Potential delayed effects	Not available
Potential Chronic health effects	
General	Not known significant effects or critical hazards
Carcinogenicity	Not known significant effects or critical hazards
Mutagenicity	Not known significant effects or critical hazards
Teragenicity	Not known significant effects or critical hazards
Developmental Effects	Not known significant effects or critical hazards
Fertility effects	Not known significant effects or critical hazards

11. ECOLOGICAL INFORMATION

Toxicity:	Not available
Persistence and degradability:	Not available
Bio cumulative potential	Not available
Mobility in soil: soil/water partition coefficient (Koc):	Not available
Other adverse effects:	No known significant effects or critical hazards

12. DISPOSAL CONSIDERATIONS

The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the sewer but processes in a suitable effluent treatment plant. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by - products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

13. TRANSPORT INFORMATION

	DOT	IMDG	IATA
UN number	Not regulated	Not regulated	Not regulated
UN proper shipping name	None	None	None
Transport hazard class(es)	Not classified as Hazardous for Transport	Not classified as Hazardous for Transport	Not classified as Hazardous for Transport
Packing group	Not applicable	Not applicable	Not applicable
Environmental hazards	No	No	No
Special precautions for user	Not available	Not available	Not available
Additional information			



SPEED GLOSS

500 ML (READY TO USE)

PN: R2204

Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14. REGULATORY INFORMATION

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	Not listed
Clean Air Act Section 602 Class I Substances	Not listed
Clean Air Act Section 602 Class II Substances	Not listed
DEA List I Chemicals (Precursor Chemicals)	Not listed
DEA List II Chemicals (Essential Chemicals)	Not listed
SARA 302/304/311/312 extremely hazardous substances:	Not applicable
SARA 302/304 emergency planning and notification:	Not Applicable
SARA 302/304/311/312 hazardous chemicals:	No products were found

15. OTHER INFORMATION

Version	May/2015	NFPA Ratings: Health	1
Date of issue	5/11/2015	Flammability	0
		Reactivity	0

Disclaimer of Liability:

The information contained herein is based on data considered to be accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The Conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of this product.

MATERIAL SAFETY DATA SHEET

**PRO
SERIES**

**USE IT AND SEE
THE DIFFERENCE**

