

# OVERALL DRESSING

FOR INTERIOR & EXTERIOR 500ML (READY TO USE)

**PN: R2213**

## 1. PRODUCT IDENTIFIER

Overall Dressing for Interior & Exterior 500ml (Ready To Use)

1.1. Relevant uses: for car detailing professionals

1.2. Details of the supplier of the safety data sheet

Company: RHINOMOTIVE LTD - UK 71-75 SHELTON STREET, LONDON, UNITED KINGDOM

Emergency contact number +971 4 329 7775

Email: info@rhinomotive.com

1.3. Available Sizes

- R1834 – 25L (Concentrate)
- R2213 – 500ml (Ready to Use)

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

NFPA 704M© Rating:

0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme

Health: 1

Fire: 0

Reactivity: 0

Special: 0

Component	CAS Reg. NO	Percentage	Exposure Limit
Silicone Emulsion	63148-62-9	95-100	N/A

## 3. HAZARDS IDENTIFICATION

Emergency overview: eye irritant. Avoid contact with skin and eyes.

Potential health effects: Carcinogenicity: product not considered a carcinogen by OSHA, NTP, or IARC.

Medical conditions: pre-existing eye or skin conditions may be aggravated by over-exposure to this product.

Target organ effects: skin and eyes (irritation) are expected primary target organs.

Primary entry routes: skin absorption and eye contact.

Acute health effects:

Eye: may cause irritation upon contact.

Skin: non-expected. Repeated skin contact may cause persistent irritation and dermatitis.



# OVERALL DRESSING

FOR INTERIOR & EXTERIOR 500ML (READY TO USE)

**PN: R2213**

Inhalation: none expected. However certain individuals may be sensitized and experience minor nausea or headaches.

Ingestion: the product may cause nausea, vomiting, and diarrhea.

Chronic health effects: pre-existing skin, eye, or respiratory disorders may become aggravated through prolong exposure.

## 4. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if irritation persists.

Skin Contact: Wash the area with soap and water. Seek medical attention if irritation persists.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. Seek medical attention. Inhalation hazards are unlikely due to the low volatility of the product.

Ingestion: Do Not induce vomiting. Seek immediate medical attention.

Never give the unconscious victim anything by mouth.

## 5. FIRE FIGHTING MEASURES

Flash point: >200 tcc

Extinguishing media: carbon dioxide (co2), dry chemical, foam.

Unusual fire and explosion hazards:

Firefighting instructions: Containers can build up pressure if exposed to fire.

Containers should be cooled with water spray.

Firefighting Equipment: Self-contained breathing apparatus with full facepiece operated in positive pressure mode.

## 6. ACCIDENTAL RELEASE MEASURES

Spill/leak procedures: notify safety personnel, evacuate all unnecessary personnel and provide adequate ventilation. If feasible and without risk, clean-up personnel should stop leaks. All clean-up personnel should wear proper personal protective equipment.

Small spill: clean with inert absorbent and place in recovery drums for disposal.

Large spill: dike to prevent further migration of material. Do not release into waterways or sewers. Follow applicable federal and state regulations (20cfr1910.120).

Note: the product is in a sealed container. Spill hazard unlikely

## 7. HANDLING & STORAGE

Storage Requirements: Store in clean, dry locations away from excessive heat.

Handling Precautions:

Wash thoroughly after handling.

Do not get into the eyes, on the kin, or on clothing.

Do not smoke while using this product.

Do not use near excessive heat, sparks, or open flame.



# OVERALL DRESSING

FOR INTERIOR & EXTERIOR 500ML (READY TO USE)

**PN: R2213**

## MATERIAL SAFETY DATA SHEET

### 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Engineering Control: Eyewash station and a safety shower.

Ventilation: Strong general ventilation or local exhaust

Personnel protective equipment:

Eye: Chemical splash goggles with indirect or no ventilation.

Skin: Chemical-resistant gloves such as nitrile.

Respiratory: Organic vapor air-purifying respirator if vapors are a nuisance or if concentrations are above PEL or TLV.

Comments: Never eat, drink, or smoke in work areas.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties State: Liquid

Colour: Light Blue Odour: Fruity pH: 6:01

Other information

Other information: No data available.

### 10. STABILITY AND REACTIVITY

Stability: material is stable

Polymerization: hazardous polymerization cannot occur.

Chemical incompatibilities: strong oxidizing agents.

Condition to avoid excessive heat, open flame, and strong oxidizers.

Hazardous decomposition products: Carbon monoxide, and carbon dioxide.

### 11. TOXICOLOGY INFORMATION

No data.

### 12. ECOLOGICAL INFORMATION

No data.

### 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with all applicable state, federal, and local regulations.

### 14. TRANSPORTATION INFORMATION DOMESTIC

Shipping Name:	Consumer commodity	UN Number: NA	Packing Group: NA
Hazard Class:	Label: NA	Placard: NA	



# OVERALL DRESSING

FOR INTERIOR & EXTERIOR 500ML (READY TO USE)

**PN: R2213**

## 15. REGULATORY INFORMATION

U.S. federal regulations:

OSHA: considered as not hazardous material defined by 29cfr1910.1200

EPA sara title iii:

Na

State regulations:

Na

## 16. OTHER INFORMATION

Date entered: 01/01/2015

Date revised: 02/06/2016

RHINOMOTIVE. Provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. RHINOMOTIVE. makes no representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose with respect to the information set forth herein or to the product to which the information refers. Accordingly, RHINOMOTIVE will not be responsible for damages resulting from the use of or reliance upon this information

ABBREVIATIONS:

NG="NOT GIVEN"

BT="BETWEEN"

<="LESS THAN"

>="GREATER THAN"

ND = Not Determined

NA = Not Applicable

MATERIAL SAFETY DATA SHEET

**PRO  
SERIES**

**USE IT AND SEE  
THE DIFFERENCE**

