

5 IN 1 DISPOSABLE AUTOMOTIVE INTERIOR PROTECTIVE COVERS

PN: R1006

1. PRODUCT IDENTIFIER

5 IN 1 DISPOSABLE AUTOMOTIVE INTERIOR PROTECTIVE COVERS

1.1. Relevant uses: For protection of front seats, gear lever, steering wheel and hand brake.

1.2 Details of the supplier of the safety data sheet

Company: RHINOMOTIVE LTD - UK 71-75 SHELTON STREET, LONDON, UNITED KINGDOM

Emergency telephone number: +971 4 329 7775

Email: info@rhinomotive.com

2. AVAILABLE SIZES

Not Applicable

3. TECHNICAL SPECIFICATIONS

| | | |
|---------------------|---|---|
| Item | 5 In 1 Disposable Automotive Interior Protective Covers | |
| | Usage | Car Interior Protection |
| | Odor | Odorless |
| | Solubility in water | Insoluble |
| | Properties | Silicone Free |
| | Packaging | 5 pcs in packet |
| 1) Front Seat Cover | | |
| 2PCS | Material | 100% Virgin of Low-Density Polyethylene |
| | Color | Transparent (LDPE Natural Color) |
| | Thickness | 0.013mm (±3%) |
| | Width | 800mm |
| | Length | 1300mm |
| | Heat Resistance | 10°C -Max 140°C |



5 IN 1 DISPOSABLE AUTOMOTIVE INTERIOR PROTECTIVE COVERS

PN: R1006

TECHNICAL DATA SHEET

| 2) Steering Wheel Cover | | |
|-------------------------|-----------------|---|
| 1PC | Material | 100% Virgin of Low-Density Polyethylene |
| | Color | Transparent (LDPE Natural Color) |
| | Thickness | 0.020mm (±3%) |
| | Width | 100mm |
| | Length | 600mm |
| | Heat Resistance | 10°C -Max 140°C |
| 3) Gear Lever Cover | | |
| 1PC | Material | 100% Virgin of Low-Density Polyethylene |
| | Color | Transparent (LDPE Natural Color) |
| | Thickness | 0.020mm (±3%) |
| | Width | 140mm |
| | Length | 145mm |
| | Heat Resistance | 10°C -Max 140°C |
| 4) Hand Brake Cover | | |
| 1PC | Material | 100% Virgin of Low-Density Polyethylene |
| | Color | Transparent (LDPE Natural Color) |
| | Thickness | 0.020mm (±3%) |
| | Width | 90mm |
| | Length | 170mm |
| | Heat Resistance | 10°C -Max 140°C |

4. PRODUCT CONSTRUCTION

| No | Name | CAS# | Percentage |
|----|--------------|-----------|------------|
| 1 | Polyethylene | 9002-88-4 | 100% |

5. DIRECTIONS FOR USE

Rhinomotive products are worked up and designed for use in Detailing and Service Centers. The Protective covers are ideal for quick and efficient covering of a vehicle interiors and protect it against dirt, dust and oil contamination.

6. SHELF LIFE

One year from date of receipt by customer when stored at 22°C (72°F) and 50% relative humidity.



5 IN 1 DISPOSABLE AUTOMOTIVE INTERIOR PROTECTIVE COVERS

PN: R1006

TECHNICAL DATA SHEET

7. PERFORMANCE PROPERTIES

Not Applicable

8. STORAGE

Store in a dry and well-ventilated area with 23°C and 50% relative humidity

9. TEST REPORT

Not Applicable

10. DISCLAIMER

Important Notice Purchaser: RHINOMOTIVE MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. The user is responsible for determining whether the RHINOMOTIVE product is fit for a particular purpose and suitable for user's application. The materials to be bonded to the product, the conditions in which the product is used, and the time and environmental conditions, in which the product is expected to perform among the many factors that can affect the use and performance of a RHINOMOTIVE Automotive product, some of which are uniquely within the user's knowledge and control. It is essential that the user evaluate the RHINOMOTIVE Automotive product to determine whether it is for a particular purpose and suitable for user's methods of application.

Limitation of Remedies and Liability: if the RHINOMOTIVE product is proved to be defective. THE EXCLUSIVE REMEDY, AT RHINOMOTIVE'S OPTION, SHALL BE TO REFUND THE PURCHASE PRICE OF OR TO REPAIR OR REPLACE THE DEFECTIVE RHINOMOTIVE PRODUCT. RHINOMOTIVE shall not otherwise be liable for loss or damages, whether direct, indirect special, incidental, or consequential, regardless of the legal theory asserted, including negligence, warranty, or strict liability.

**PRO
SERIES**

**USE IT AND SEE
THE DIFFERENCE**

